

Estimate: 240101 COMMERCIAL BUILDING
Bid: 1 BUILDING FOUNDATION
Bid Status: Takeoffs Complete

BPage:1

Item	Sac	Str	Mul	Pcs	Qty	Part	Lgt	Typ	Bt	Remarks	Weight
0001										**Beginning of Bid**	
0002										FOUNDATION - REF. S100	
0003										3'-8"X1'-4" THK CONCRETE FOOTING	
0004										(58'-0" LFT)- REF. 4/S403	
0005	025		3	4	12	5	30-0	Sto		#5 @16" O.C CONT. BOT.	376
0006	025		1	72	72	6	4-6	Hea		#6 @10" O.C TRANS. BOT.	486
0007	025		1	120	120	5	2-0	Str		#5 @12" O.C DWL. D&E.	250
0008										REF. 9/S212	
0009	025		2	4	8	5	2-3	Lig		#5 @16" O.C LINK	19
0010											
0011										4'-6"X3'-0" THK CONCRETE FOOTING	
0012										(35'-4" LFT)- REF. 4/S403	
0013	025		1	6	6	6	42-2	Str		#6 @12" O.C CONT. TOP	380
0014	025		1	4	4	6	40-6	Str		#6 @12" O.C CONT. BOT.	243
0015	025		1	36	36	8	6-10	Hea		#8 @12" O.C TRANS. TOP	656
0016	025		1	36	36	8	4-10	Hea		#8 @12" O.C TRANS. BOT.	465
0017	025		1	10	10	6	10-8	Hea		#6 STANDEE	160
0018	025		1	72	72	5	2-0	Str		#5 @12" O.C DWL. D&E.	150
0019	025		1	72	72	5	2-4	Hea		#5 @12" O.C DWL. D&E.	175
0020	025		1	36	36	5	2-0	Str		#5 @12" O.C DWL. D&E.	75
0021										REF. 9/S212	
0022	025		2	4	8	5	3-11	Lig		#5 @12" O.C LINK	33
0023											
0024										6'-0"X3'-0" THK CONCRETE FOOTING	
0025										(49'-8" LFT)- REF. 4/S403	
0026	025		1	7	7	8	55-3	Str		#8 @12" O.C CONT. TOP	1033
0027	025		1	5	5	8	53-11	Str		#8 @12" O.C CONT. BOT.	720
0028	025		1	52	52	8	8-4	Hea		#8 @12" O.C TRANS. TOP	1157
0029	025		1	52	52	8	6-2	Hea		#8 @12" O.C TRANS. BOT.	856
0030	025		1	25	25	6	10-8	Hea		#6 STANDEE	400
0031	025		1	104	104	5	2-0	Str		#5 @12" O.C DWL. D&E.	217
0032	025		1	104	104	5	2-4	Hea		#5 @12" O.C DWL. D&E.	253
0033	025		1	52	52	5	2-0	Str		#5 @12" O.C DWL. D&E.	109
0034										REF. 9/S212	
0035	025		1	5	5	5	3-11	Lig		#5 @12" O.C LINK	20
0036											
0037										3'-0"X3'-0" THK CONCRETE FOOTING	
0038										(55'-10" LFT)- REF. 4/S403	
0039	025		1	4	4	6	62-8	Str		#6 @12" O.C CONT. TOP	376
0040	025		1	2	2	6	61-0	Str		#6 @12" O.C CONT. BOT.	183
0041	025		1	58	58	8	5-4	Hea		#8 @12" O.C TRANS. TOP	826
0042	025		1	58	58	8	3-4	Hea		#8 @12" O.C TRANS. BOT.	516
0043	025		1	30	30	6	10-8	Lig		#6 STANDEE	480
0044	025		1	116	116	5	2-0	Str		#5 @12" O.C DWL. D&E.	242
0045	025		1	116	116	5	2-4	Hea		#5 @12" O.C DWL. D&E.	282
0046	025		1	58	58	5	2-0	Str		#5 @12" O.C DWL. D&E.	121
0047										REF. 9/S212	
0048	025		2	2	4	5	3-11	Lig		#5 @12" O.C LINK	16
0049											
0050										40" THK MAT FOOTING (1168 SQ.FT)	
0051										REF. S100,S213	
0052	024		1	75	75	7	40-0	Sto		#7 @12" O.C EW TOP	6131
0053	024		1	48	48	8	60-0	Sto		#8 @12" O.C EW BOT.	7690
0054	024		1	75	75	6	11-4	Lig		#6 STANDEE	1277
0055										ADDITIONAL REINFORCEMENT - REF. S213	
0056	024		2	4	8	9	27-4	Str		4-#9 ADD'L T&B.	743
0057	024		2	4	8	9	33-8	Str		4-#9 ADD'L T&B.	916
0058	024		2	4	8	9	24-8	Str		4-#9 ADD'L T&B.	671
0059	024		1	19	19	9	20-3	Hea		#9 @12" O.C ADD'L (B)	1308
0060	024		1	22	22	8	20-0	Str		#8 @16" O.C ADD'L (T)	1175
0061	024		1	20	20	9	22-9	Hea		#9 @12" O.C ADD'L (B)	1547
0062	024		1	23	23	8	32-9	Str		#8 @16" O.C ADD'L (T)	2011

Estimate: 240101 COMMERCIAL BUILDING
Bid: 1 BUILDING FOUNDATION
Bid Status: Takeoffs Complete

BPage:1

Itm	Sac	Str	Mul	Pcs	Qty	Part	Lgt	Typ	Bt	Remarks	Weight
0063										REF. 13/S212	
0064	024		1	1130	1130	5	2-10	Hea		#5 @12" O.C DWL. D&E.	3345
0065	024		1	170	170	5	2-0	Str		#5 @12" O.C DWL. D&E.	355
0066	024		1	85	85	5	3-2	Str		#5 @12" O.C DWL. D&E.	281
0067											
0068										44" THK MAT FOOTING (795 SQ.FT)	
0069										REF. S100,S213	
0070	024		1	3	3	9	37-2	Hea		#9 @12" O.C LW TOP	379
0071	024		1	3	3	11	38-0	Hea		#11 @12" O.C LW BOT.	606
0072	024		1	10	10	9	28-10	Hea		#9 @12" O.C LW TOP	980
0073	024		1	10	10	11	29-8	Hea		#11 @12" O.C LW BOT.	1577
0074	024		1	12	12	9	47-10	Hea		#9 @12" O.C LW TOP	1952
0075	024		1	12	12	11	46-8	Hea		#11 @12" O.C LW BOT.	2975
0076	024		1	11	11	9	5-11	Hea		#9 @12" O.C SW TOP	221
0077	024		1	11	11	11	6-9	Hea		#11 @12" O.C SW BOT.	394
0078	024		1	26	26	9	26-2	Hea		#9 @12" O.C SW TOP	2313
0079	024		1	26	26	11	27-0	Hea		#11 @12" O.C SW BOT.	3730
0080	024		1	21	21	9	14-2	Hea		#9 @12" O.C SW TOP	1012
0081	024		1	21	21	11	15-0	Hea		#11 @12" O.C SW BOT.	1673
0082	024		1	55	55	6	12-1	Lig		#6 STANDEE	997
0083										ADDITIONAL REINFORCEMENT - REF. S213	
0084	024		2	4	8	9	27-4	Str		4-#9 ADD'L T&B.	743
0085	024		1	3	3	9	22-6	Str		3-#9 ADD'L (B)	230
0086	024		1	11	11	6	6-10	Str		#6 @12" O.C ADD'L (B)	113
0087	024		1	25	25	7	22-6	Str		#7 @12" O.C ADD'L (T)	1150
0088	024		1	3	3	9	22-6	Str		3-#9 ADD'L (B)	230
0089	024		1	11	11	6	15-0	Str		#6 @12" O.C ADD'L (B)	248
0090	024		1	13	13	6	22-4	Str		#6 @12" O.C ADD'L (T)	436
0091	024		1	23	23	8	41-4	Str		#8 @6" O.C ADD'L (T)	2538
0092	024		1	3	3	9	33-6	Str		3-#9 ADD'L (B)	342
0093	024		1	3	3	9	10-6	Str		3-#9 ADD'L (B)	107
0094	024		1	3	3	9	10-6	Str		3-#9 ADD'L (B)	107
0095	024		1	3	3	9	33-6	Str		3-#9 ADD'L (B)	342
0096										REF. 13/S212	
0097	024		1	735	735	5	2-10	Hea		#5 @12" O.C DWL. D&E.	2176
0098	024		1	180	180	5	2-0	Str		#5 @12" O.C DWL. D&E.	376
0099	024		1	62	62	5	3-2	Str		#5 @12" O.C DWL. D&E.	205
0100	024		1	28	28	5	5-8	Hea		#5 @12" O.C DWL. D&E.	166
0101											
0102										40" THK MAT FOOTING (3580 SQ.FT)	
0103										REF. S100,S213	
0104	024		1	9	9	7	11-7	Hea		#7 @12" O.C LW TOP	213
0105	024		1	9	9	8	11-11	Hea		#8 @12" O.C LW BOT.	287
0106	024		1	8	8	7	122-10	Hea		#7 @12" O.C LW TOP	2009
0107	024		1	8	8	8	121-10	Hea		#8 @12" O.C LW BOT.	2602
0108	024		1	8	8	7	127-2	Hea		#7 @12" O.C LW TOP	2079
0109	024		1	8	8	8	126-2	Hea		#8 @12" O.C LW BOT.	2695
0110	024		1	8	8	7	13-4	Hea		#7 @12" O.C LW TOP	218
0111	024		1	8	8	8	13-8	Hea		#8 @12" O.C LW BOT.	292
0112	024		1	23	23	7	73-7	Hea		#7 @12" O.C LW TOP	3459
0113	024		1	23	23	8	73-3	Hea		#8 @12" O.C LW BOT.	4498
0114	024		1	8	8	7	68-0	Hea		#7 @12" O.C LW TOP	1112
0115	024		1	8	8	8	67-8	Hea		#8 @12" O.C LW BOT.	1445
0116	024		1	5	5	7	16-10	Hea		#7 @12" O.C SW TOP	172
0117	024		1	5	5	8	17-2	Hea		#8 @12" O.C SW BOT.	229
0118	024		1	8	8	7	31-4	Hea		#7 @12" O.C SW TOP	512
0119	024		1	8	8	8	31-8	Hea		#8 @12" O.C SW BOT.	677
0120	024		1	4	4	7	23-10	Hea		#7 @12" O.C SW TOP	195
0121	024		1	4	4	8	24-2	Hea		#8 @12" O.C SW BOT.	258
0122	024		1	36	36	7	16-2	Hea		#7 @12" O.C SW TOP	1190
0123	024		1	36	36	8	16-6	Hea		#8 @12" O.C SW BOT.	1586
0124	024		1	62	62	7	49-9	Hea		#7 @12" O.C SW TOP	6305

Estimate: 240101 COMMERCIAL BUILDING
Bid: 1 BUILDING FOUNDATION
Bid Status: Takeoffs Complete

BPage:1

Itm	Sac	Str	Mul	Pcs	Qty	Part	Lgt	Type	Bt	Remarks	Weight
0125	024		1	62	62	8	45-2	Hea		#8 @12" O.C SW BOT.	7477
0126	024		1	7	7	7	37-10	Hea		#7 @12" O.C SW TOP	541
0127	024		1	7	7	8	38-2	Hea		#8 @12" O.C SW BOT.	713
0128	024		1	225	225	6	11-4	Lig		#6 STANDEE	3831
0129										ADDITIONAL REINFORCEMENT - REF. S213	
0130	024		1	4	4	9	12-10	Str		4-#9 ADD'L (B)	174
0131	024		1	4	4	9	10-6	Str		4-#9 ADD'L (B)	143
0132	024		1	4	4	9	12-10	Str		4-#9 ADD'L (B)	174
0133	024		1	4	4	9	13-6	Str		4-#9 ADD'L (B)	184
0134	024		1	6	6	9	8-6	Str		6-#9 ADD'L (B)	173
0135	024		1	4	4	9	13-6	Str		4-#9 ADD'L (B)	184
0136	024		1	6	6	9	8-6	Str		6-#9 ADD'L (B)	173
0137	024		1	4	4	9	13-6	Str		4-#9 ADD'L (B)	184
0138	024		1	4	4	9	13-6	Str		4-#9 ADD'L (B)	184
0139	024		1	15	15	8	38-0	Str		#8 @12" O.C ADD'L (T)	1522
0140	024		1	6	6	9	14-0	Str		6-#9 ADD'L (B)	285
0141	024		1	6	6	9	20-0	Str		6-#9 ADD'L (B)	408
0142	024		1	4	4	9	14-0	Str		4-#9 ADD'L (B)	190
0143	024		1	6	6	9	20-0	Str		6-#9 ADD'L (B)	408
0144	024		1	11	11	6	14-0	Str		#6 @12" O.C ADD'L (B)	231
0145	024		1	13	13	8	14-0	Str		#8 @12" O.C ADD'L (B)	486
0146	024		1	22	22	6	34-0	Str		#6 @12" O.C ADD'L (T)	1124
0147	024		1	12	12	6	24-0	Str		#6 @12" O.C ADD'L (T)	433
0148	024		1	8	8	8	24-0	Str		#8 @12" O.C ADD'L (T)	513
0149	024		1	10	10	6	14-0	Str		#6 @12" O.C ADD'L (B)	210
0150	024		1	12	12	6	14-0	Str		#6 @12" O.C ADD'L (B)	252
0151	024		1	5	5	8	14-0	Str		#8 @12" O.C ADD'L (B)	187
0152	024		1	12	12	6	34-0	Str		#6 @12" O.C ADD'L (B)	613
0153	024		1	8	8	6	14-0	Str		#6 @12" O.C ADD'L (B)	168
0154	024		1	16	16	6	34-0	Str		#6 @12" O.C ADD'L (B)	817
0155	024		1	10	10	8	20-0	Str		#8 @12" O.C ADD'L (T)	534
0156	024		1	16	16	8	20-0	Str		#8 @12" O.C ADD'L (T)	854
0157	024		1	12	12	6	14-0	Str		#6 @12" O.C ADD'L (B)	252
0158	024		1	9	9	6	34-0	Str		#6 @12" O.C ADD'L (B)	460
0159	024		1	4	4	9	35-0	Str		4-#9 ADD'L (B)	476
0160	024		2	4	8	9	8-0	Str		4-#9 ADD'L T&B.	218
0161										REF. 16/S212	
0162	024		1	3480	3480	5	2-10	Hea		#5 @12" O.C DWL. D&E.	10301
0163	024		1	1000	1000	5	3-2	Str		#5 @12" O.C DWL. D&E.	3302
0164	024		1	285	285	5	3-2	Str		#5 @12" O.C DWL. D&E.	941
0165	024		1	215	215	5	6-10	Hea		#5 @12" O.C DWL. D&E.	1530
0166											
0167										36" THK MAT FOOTING (640 SQ.FT)	
0168										REF. S100,S214	
0169	024		1	18	18	6	29-8	Hea		#6 @12" O.C LW TOP	802
0170	024		1	18	18	7	30-0	Hea		#7 @12" O.C LW BOT.	1104
0171	024		1	10	10	6	23-0	Hea		#6 @12" O.C LW TOP	345
0172	024		1	10	10	7	23-4	Hea		#7 @12" O.C LW BOT.	477
0173	024		1	8	8	6	19-0	Hea		#6 @12" O.C SW TOP	228
0174	024		1	8	8	7	19-4	Hea		#7 @12" O.C SW BOT.	316
0175	024		1	22	22	6	28-9	Hea		#6 @12" O.C SW TOP	950
0176	024		1	22	22	7	29-1	Hea		#7 @12" O.C SW BOT.	1308
0177	024		1	45	45	6	10-8	Lig		#6 STANDEE	721
0178										ADDITIONAL REINFORCEMENT - REF. S214	
0179	024		1	3	3	9	15-4	Str		3-#9 ADD'L (B)	156
0180	024		1	8	8	9	7-9	Str		#9 @12" O.C ADD'L (B)	211
0181	024		1	8	8	6	18-0	Str		#6 @12" O.C ADD'L (B)	216
0182	024		1	8	8	9	14-8	Str		#9 @12" O.C ADD'L (T)	399
0183	024		1	6	6	9	23-8	Str		#9 @24" O.C ADD'L (B)	483
0184	024		1	10	10	8	21-8	Hea		#8 @12" O.C ADD'L (T)	579
0185	024		1	3	3	9	26-6	Str		3-#9 ADD'L (B)	270
0186	024		1	9	9	8	26-6	Str		#8 @24" O.C ADD'L (T)	637